
COB Series Dry Ice Blasters





Speci#c application areas are:

- high performance cleaning with low air consumption
- focalised cleaning

CRYONOMIC® blasting machines are used worldwide and have been running successfully since 1992.







Unique characteristics of COB series



The COB series consists of 4 types of robust single hose blasters: the compact COB 62 and COB 62 plus blasters and the larger COB 71 and COB 71R blasters.

The COB series dry ice blasters are standard delivered with:


- · Ergonomic blast gun MG1004
- · Hose set consisting of:
 - heavy duty blast hose with quick coupling and stainless steel earthing
 - one control cable (for start/stop and gun light!)
- protecting sleeve
- · Dry ice or air-only blasting option
- · Hour counter
- · Safe soft start
- · Start safety protocol




Intuitive control panel:

- · Emergency stop and ON/OFF buttons
- Robust single touch control buttons:
 - dry ice feed rate: LED-indicated (COB 62(plus)) or digital indication (COB 71(R))
 - gun light: 0-5-10 LEDs
 - abrasive module selector (LED-indicated) on COB 62plus and COB 71(R)
- · Blast pressure regulator and manometer
- · Remote control activator on COB 71R

Fast and easy connections:







- · Connection for optional earth cable
- · Compressed air inlet
- Connection for Abrasive Module on COB 62plus and COB 71(R)

Ergonomic, safe and lightweight MG1004 gun:

- · Quick-"t nozzles changed within seconds: no tools required
- · Nozzles can be turned in any desired position during operation
- Equipped to plug-in the CRYONOMIC® gun light
- Integrated safety catch: avoids undesired blast activation (legally imposed for CE)
- The control cable plugs directly into the gun! No more annoying dangling connectors at the gun
- Ergonomic shockproof thermoplastic handle


The CRYONOMIC® gun light:

- · Clear white spot on the object
- Plug-in gun light (no additional cable)
- · Adjustable intensity: to avoid surface re\$ection
- · Allows fast nozzle switching: without gun light removal
- Integrated protective slide keeps the gun light connector clean and protected









Nozzles and accessories for COB series

Variety of CRYONOMIC® NT- nozzles:

- · High performance nozzles for any circumstances
- · Changed within second, no tools required
- Models : round, "at, angled, custom made
- Length: from 55 mm up to 1 m and more
- · Available in stainless steel, aluminium or thermoplastic
- Special low air consumption nozzles (< 1m³/min up to 4 bar)

Compact CRYONOMIC® 'All-in-one' nozzle and accessory box :

- Contains
 - · commonly used round, "at and angled nozzles
 - dry ice crusher, gun light
- · Empty space to store blastgun, second crusher and electrical cabinet key
- · Optional spare parts set

Pellet crusher:

- · Crushes dry ice pellets for cleaning delicate surfaces and objects
- Easy to mount at machine and/or gun (in a matter of seconds with quick coupling)
- · Nozzle-independent:
 - · can be used with every nozzle
 - nozzle does not have to be exchanged or removed

Electrically isolated blastgun MG1003:

- To clean live (low- to mid-voltage) equipment
- Full plastic isolated blastgun for applications where non-conductive tooling is a safety requirement

The Abrasive Module:

- · Combines bene\$ts of dry ice and abrasive blasting
- · Allows to mix a controlled quantity of abrasive granulate in the dry ice "ow
- Ecological: reduces signi\$cantly the abrasive granulate requirements compared to conventional abrasive blasting (less secondary waste, less clean-up)

The system consists of:

- · a stainless steel module easily mountable at the front of the machine
- · additional abrasive granulate hose
- · a special abrasion resistant nozzle for standard gun

Some applications:

- rust removal, paint stripping,...
- · stubborn material removal
- surface roughening before painting, coating,...

We can ower diwerent kinds of abrasive granulate going from \$ne to rough depending on the required abrasive e%ect (from 0,1 mm to 2 mm).











COB 62plus with Abrasive Module



COB

Dry Ice Blasters

CRYONOMIC® One-hose Blaster or COB

Technical information

A patented CRYONOMIC® technology has been integrated, resulting in unequalled performances with limited air consumption. This technology has following advantages:

- the unique self regulating CRYONOMIC® Airlock system, limiting wear out and maintenance (no oil required/one sealer disc)
- · constant and regular dry ice "ow

We paid special attention to safety, operator ergonomics and ease of manipulation. The unit is very economical in use and produces excellent results even in the most challenging circumstances.

The CRYONOMIC® dry ice blasters all meet the new EC machine directive 2006/42/EC, as well as 2006/95/EC and 2004/108/EC.

Characteristics of the COB series

	C	OB 62	COB 62plus	COB 71	COB 71R
Chassis		heels, 2 pivotin		 2 large wheels, 2 pivoting wheels Foldable push handle and hose support Lifting eyelets and forklift handling slot 	
Standard delivered with	• 5 m hose set • gun • round nozzle • 5 m power cord • manual • CE certi#cate			• 5 m hose set • gun • round nozzle • 5 m power cord • manual • CE certi#cate	
Dimension (LxWxH) in mm	• 380 x 570 x 890 (incl. #xed handle)			• 665 x 570 x 876 (push handle folded down)	
Weight	• 66 kg		• 68 kg	• 90 kg	• 95 kg
Hopper	14 kg dry ice capacity Isolated hopper easily removable			 30 kg dry ice capacity Isolated hopper easily removable Advanced pneumatic hopper agitation	
Pellet consumption	Adjustable 20 - 80 kg/h Blasting without dry ice possible			 Adjustable and displayed: 25 - 100 kg/h Blasting without dry ice possible Start-up value programmable 	
Blast pressure	• 1 - 7 bar		• 1 - 10 bar	• 1 - 10 bar	• 1 - 10 bar
Remote control	• No		• No	• No	• Yes
Air consumption	• 0,5 - 4 m for 1-7 ba		• 0,5 - 5,5 m³/min for 1 - 10 bar	• 0,5-5,5 m³/min for 1-10 bar	• 0,5-5,5 m³/min for 1-10 bar
Supply pressure	• 1 - 16 bar dried air • connection 3/4" BSP			•1 - 16 bar dried air • connection 1"BSP	
Mains/power consumption	• 220 - 240 V, 50 - 60 Hz, 650 W			• 220 - 240 V, 50-60 Hz, 650 W	
Hardware & software features	Self diagnosis on start-upHour counterVisual error indication			Self diagnosis on start-upHour counterAcoustic and visual error indication	
Pre-equipped for gunlight	• Yes		• Yes	• Yes	• Yes
Pre-equipped for blasting dry ice with abrasives	• No		• Yes	• Yes	• Yes
Options	Alternative pellet rotors of 7 - 28 kg/h and 10 - 40 kg/h Transformer 110 V / 50 - 60 Hz Robot guns for automation projects			 Alternative pellet rotors of 8 - 35 kg/h, 10 - 40 kg/h and 33 - 130 kg/h Transformer 110 V / 50 - 60 Hz Robot guns for automation projects 	

Contact your dealer for any information:





CRYONOMIC

Kleimoer 3 - B-9030 Gent - Belgium Tel: +32 9 216 76 90 - Fax: +32 9 216 76 91 info@cryonomic.com www.cryonomic.com

CRYONOMIC® is a registered trademark of ARTIMPEX N.V.